	Туре	Hits	Search Text	DBs	Time Stamp
95	BRS.	4	reagent\$1 and react\$4 and blood\$1 with inject\$3 and mesh\$3 with structur\$2 with material\$1 and quanti\$7 with measur\$7	US-PGPUB; USPAT; EPO; . JPO; DERWENT; IBM_TDB	2006/10/10
96	BRS	324	and and 2 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10
97	BRS	4	reagent\$1 and react\$4 and blood\$1 with inject\$3 and mesh\$3 with structur\$2 and quanti\$7 with measur\$7 same increas\$3 with decreas\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10
86	BRS	0	"4820490".uref. and inject\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10
99	BRS	324	reagent\$1 and react\$4 and blood\$1 with inject\$3 and mesh\$3 with structur\$2 and quanti\$7 with measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10

Туре	Hits	Search Text	DBs	Time Stamp
			·	
		815260" "200502		
		296847" "4560534"	-	
•		476222" "587992	,	
_		365362" "640990		
		28704" "645854		
		468.734" "434195		
		804451" "587018		
-		32463	<u>,                                     </u>	
		0020177234" "4		
		42802" "538049	מ – של שווש	0006/10/10
100 BRS	50	006754" "626891		11.03
		53471" "49257	ODFA1	- T-1
		252493" "437977		
	•	3074" "563314		
	•	497842" "200		
		432358" "494503		
		<b>"</b> "361		
		486537" "460068		
		795707" "487606		
	·	5210" "518		
		0439" "5407806"		
·		"5468380" "5645709"		
		786223" "586634		

	Туре	Hits	Search Text	DBs	Time Stamp	Comments
101	BRS	0	d or 3d or on\$2 or three a\$2 or 3-	HG	2006/10/10	
			ension\$2) adj mesh\$3 structur\$2	IBM_TDB	T 4: C 2	
			S104 and (3-d or 3d or three			
102	BRS	0	adj dimensiona\$2 or 3- dimension\$2) same mesh\$3 with structur\$2	JPO; DERWENT; IBM_TDB	14:23	
			S104 and (3-d or 3d or three	US-PGPUB;		
103	BRS	0	or 3- mesh\$3	JPO; DERWENT; IBM_TDB	14:24	
			S104 and (3-d or 3d or three	US-PGPUB;	0006/10/10	
104	BRS	0	adj dimensiona\$2 or 3- dimension\$2) and mesh\$3	RWENT;	14:24	
			same structur\$2	TEM_IDB		
			or 3d or	US-PGPUB;	-	
7 0 7	ט מ		three-dimension\$2 or three	USPAT; EPO;	2006/10/10	
			adj dimensiona\$2 or 3-	JPO; DERWENT;	14:24	
			dimension\$2) and mesh\$3	IBM TDB		,

	108 BRS 0	106 BRS 2	Type Hits
(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and	nsion\$2 with mesh\$3 structur\$2 and ent\$1 and react\$3 and tance\$1 with imen\$1	(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) adj mesh\$3 adj structur\$2 and increas\$3 with decreas\$3 and blood\$1  (3-d or 3d or three-dimension\$2 or three adj dimension\$2 or and increas\$3 with decreas\$3 with structur\$2 and increas\$3 with decreas\$3 and blood\$1	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	DBs
2006/10/10 14:39	2006/10/10 14:55	2006/10/10 14:39 2006/10/10	Time Stamp
			Comments

	Туре	Hits	Search Text	DBs	Time Stamp
110	BRS	16	dimension\$2 with mesh\$3 with structur\$2 and reagent\$1 and react\$3 and substance\$1 and specimen\$1 and blood\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10
			(3-d or 3d or three- dimension\$2 or three adj		
		O .	dimensiona\$2 or 3- dimension\$2) with mesh\$3	US-PGPUB; USPAT; EPO;	2006/10/10
<b>+</b> +	5		with structur\$2 and react\$3 and	JPO; DERWENT; IBM TDB	14:40
			\$1 with in		
			with decreas\$3 and blood\$1 (3-d or 3d or three-		
			nsion\$2 or thre		
			Or 3-	$\subset$	) ) ) )
112	BRS	0	dimension\$2) same mesh\$3 same structur\$2 and	USPAT; EPO; JPO; DERWENT;	2006/10/10 14:41
		-	ent\$1 and r		
			substance\$1 with increas\$3	ı	
			with decreas\$3 and blood\$1		

ΤΥ	Type	Hits	Search Text	DBs	Time Stamp	Comments
113 BRS		106	(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) same mesh\$3 same structur\$2 and reagent\$1 and react\$3 and substance\$1 and blood\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10	
114 BRS	S 12		(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) same mesh\$3 same structur\$2 and reagent\$1 and react\$3 and substance\$1 and blood\$1 and quanti\$7 with measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10 14:45	
115 BRS	ω		(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) adj mesh\$3 adj structur\$2 and reagent\$1 and react\$3 and substance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10	

Туре	e Hits	Search Text	DBs	Time Stamp	Comments
116 BRS	υ -	(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and reagent\$1 and react\$3 and substance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10 14:54	
117 BRS	65	dimension\$2 with mesh\$3 with structur\$2 and reagent\$1 and react\$3 and substance\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 14:54	
118 BRS	16	dimension\$2 with mesh\$3 with structur\$2 and reagent\$1 and react\$3 and substance\$1 and specimen\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10	
119 BRS	Ö	(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and porous with resin with layer\$1 and substance\$1 and reagent\$1 and react\$4 and blood\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10	

Туре	Hits	Search Text	DBs	Time Stamp
I		(3-d or 3d or three- dimension\$2 or three adj	US-PGPUB;	2006/10/10
120 BRS	30	) wit ur\$2 with	DERWENT;	16:04
		(3-d or 3d or three- dimension\$2 or three adi		
		ona\$2 or 3-	US-PGPUB;	
<b>121</b> BRS	0	dimension\$2) with mesh\$3	ENT:	2006/10/10
		layer\$1 and	TDB	
	-	substance\$1 and reagent\$1 and react\$4 and blood\$1		
		(3-d or 3d or three-		
		dimension\$2 or three adj		
-		dimensiona\$2 or 3-	US-PGPUB;	
122 BRS	4	nsion\$2) with mesh\$3	T; EPO;	2006/10/10
<del></del>		with structurs/ and resin with layer\$1 and	TEM TOB	₩
		and reagent\$1		
		and react\$4		
123 BRS	359	702/23.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	2006/10/10
			IBM TDB	

Туре	Hits	Search Text	DBs	Time Stamp
	υ ·	r three- or three adj or 3-	US-PGPUB; USPAT; EPO;	2006/10/10
124 BRS	ω	nsiona\$2 or 3- nsion\$2) with mesh\$3	USPAT; EPO; JPO; DERWENT;	2006/10/10
		with structur\$2 with reagent\$1	IBM_TDB	
			US-PGPUB;	
125 BRS	257	422/60.ccls.	USPAT; EPO; JPO; DERWENT;	2006/10/10
			T D D	
		or three-dimension\$2 or	US-PGPUB;	
1 0 A BB C	5	\$2 or	0,	2006/10/10
	C	mension\$2) with mesh\$3	JPO; DERWENT;	16:05
		with structur\$2 with reagent\$1	IBM_TDB	
	-		US-PGPUB;	
127 BRS	149	422/51.ccls.	T; EPO;	2006/10/10
			PO; DERWENT;	15:55
			IBM TDB	
			US-PGPUB;	
1 ) B B B B B B B B B B B B B B B B B B	)	/ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT; EPO;	2006/10/10
	700		ERWENT;	15:59
			IBM TDB	

					Auto	
	Туре	Hits	Search Text	DBs	Time Stamp	Comments
129	BRS	1552	422/57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 16:00	
130	BRS	2628	422/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 16:03	
131	BRS	100	"4061466".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10	
132	BRS	0	"4061466".uref. and quanti\$7 with increas\$3 with decreas\$3 and mesh\$3 with structur42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 16:09	
133	BRS		"4061466".uref. and quanti\$7 with increas\$3 with decreas\$3 and mesh\$3 with structur\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 16:10	
134	BRS		(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and quanti\$7 with increas\$3 with decreas\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/10 16:10	

Type					
BRS 1889 422/61.ccls. US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DE	 Type	Hits		DBs	
BRS 1889 422/61.ccls.  IBM TDB  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB  US-PGPUB; IBM TDB  US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB				-PGPUB; PAT; EPO;	2006/10/10
BRS 1173 422/70.ccls. US-PGPUB; US-PGPUB; EPO; DERWENT; EP		1889		DERWENT;	16:12
BRS 1173 422/70.ccls. US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JERM TDB  BRS 2884 210/198.2.ccls. USPAT; EPO; JERM TDB  BRS 269 137/833.ccls. USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWEN				TDB	
BRS 1173 422/70.ccls. USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; USPAT; EPO; JPO; DERWENT; EPO; JPO;				US-PGPUB;	
BRS 2884 210/198.2.ccls. US-PGPUB; US-PGPUB; USPAT; EPO; IBM TDB US-PGPUB; USPAT; EPO; IBM TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB US-PGPUB; IBM TDB		) 1 7		``	2006/10/10
BRS 2884 210/198.2.ccls. US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; EPO; DERWENT; EPO; DE		11/3		NT;	16:12
BRS 2884 210/198.2.ccls. US-PGPUB; USPAT; EPO; USPAT; EPO; JPO; DERWENT; IBM TDB  BRS 269 137/833.ccls. USPAT; EPO; JPO; DERWENT; IBM TDB  BRS 1128 424/499.ccls. or 422/51,56- US-PGPUB;	-			TDB	
BRS 2884 210/198.2.ccls. USPAT; EPO; JPO; DERWENT; BRS 269 137/833.ccls. IBM TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB 137/833.ccls. Or JPO; DERWENT; IBM TDB IBM TDB	_			US-PGPUB;	
BRS 269 137/833.ccls.		000/		USPAT; EPO;	2006/10/10
BRS 269 137/833.ccls. US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB USPAT; EPO; IBM TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB  702/23.ccls. or 422/51,56- US-PGPUB; IBM TDB 702/23.ccls. or 422/51,56- US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB 137/833.ccls. or USPAT; EPO; JPO; DERWENT; IBM_TDB		1000			16:14
BRS 269 137/833.ccls. US-PGPUB; USPAT; EPO; JPO; DERWENT; EPO; JPO; DERWENT; EPO; BRS 1128 424/499.ccls. US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; IBM TDB 1329 424/499.ccls. or 422/51,56- US-PGPUB;					
BRS 269 137/833.ccls. USPAT; EPO; JPO; DERWENT;  BRS 1128 424/499.ccls. US-PGPUB; USPAT; EPO; DERWENT;  BRS 11329 58,60,61,70.ccls. or 422/51,56-US-PGPUB; USPAT; EPO; DERWENT;  BRS 11329 424/499.ccls. or 422/51,56-US-PGPUB; USPAT; EPO; DERWENT; 137/833.ccls. or IBM_TDB				US-PGPUB;	
BRS 1128 424/499.ccls. US-PGPUB; USPAT; EPO; BRS 11329 424/499.ccls. or 422/51,56- BRS 11329 424/499.ccls. or 421/51,56- USPAT; EPO;		000	•	USPAT; EPO;	2006/10/10
BRS 1128 424/499.ccls. US-PGPUB; US-PGPUB; USPAT; EPO; USPAT; EPO; DERWENT; ES, 60, 61, 70.ccls. or 422/51, 56- US-PGPUB; EPO; DERWENT; EPO; D		0		PO;	16:14
BRS 1128 424/499.ccls. US-PGPUB; USPAT; EPO; USPAT; EPO; DERWENT; EPO; D				ı	
BRS 1128 424/499.ccls. USPAT; EPO; JPO; DERWENT; TO; DERWENT; EPO; JPO; DERWENT; IBM_TDB IBM_TDB				US-PGPUB;	
BRS 11329 424/499.ccls. or 422/51,56- US-PGPUB; 210/198.2.ccls. or 137/833.ccls. or 137/833.ccls. or 137/833.ccls.		1108	) )	EPO;	2006/10/10
BRS 11329 424/499.ccls. or 422/51,56- US-PGPUB; 210/198.2.ccls. or JPO; DERWENT; 137/833.ccls.		-	· (( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) (	DERWENT;	16:15
BRS 11329 424/499.ccls. or 422/51,56- US-PGPUB; 210/198.2.ccls. or USPAT; EPO; 137/833.ccls. or IBM_TDB				BM	
BRS 11329 424/499.ccls. or USPAT; EPO; 210/198.2.ccls. or JPO; DERWENT; 137/833.ccls.			3.ccls. or 422/51,56-	S-PGPUB	
BRS 11329 424/499.ccls.			,61,70.ccls. or		2006/10/10
98.2.ccls. or IBM_TDB			99.ccls.		76.77
7/833.ccls.	-		98.2.ccls. or	TO; CERWENT;	10:1/
			1		

(702/23.ccls. or 422/51,56- 58,60,61,70.ccls. or 424/499.ccls. or 210/198.2.ccls. or 210/198.2.ccls. or 3d or three-dimension\$2 or IBM_TDB three adj dimension\$2 or 3-dimension\$2 or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 427"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 422"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 424"/\$.ccls. or 422"/\$.ccls. or 424"/\$.ccls. or 422"/\$.ccls. or 424"/\$.ccls. or 426"/\$.ccls. or 426"/\$.cc	Туре	Hits	Search Text	DBs	Time Stamp
BRS 1 210/198.2.ccls. or US-PGPUB; 210/198.2.ccls. or USPAT; EPO; 137/833.ccls.) and (3-d or JPO; DERWENT; 3d or three-dimension\$2 or IBM_TDB three adj dimension\$2 or IBM_TDB with mesh\$3 with structur\$2 ("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls.) and (3-d or JPO; DERWENT; three adj dimension\$2 or IBM_TDB three adj dimension\$2 or IBM_TDB with structur\$2 ("702"/\$.ccls. or "424"/\$.ccls. or "3-dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or dimension\$2 or three adj dimension\$2 or dimension\$2			702/23.ccls. or 22/51,56- 8.60.61.70.ccls. o		·
BRS 1 210/198.2.ccls. or USPAT; EPO; 137/833.ccls.) and (3-d or JPO; DERWENT; 3d or three-dimension\$2 or IBM_TDB three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 ("702"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB; US-PG			24/499.ccls. o	S	
HRS 1  137/833.ccls.) and (3-d or JPO; DERWENT; 3d or three-dimension\$2 or IBM_TDB  three adj dimension\$2 or  3-dimension\$2) with mesh\$3  with structur\$2  ("702"/\$.ccls. or "424"/\$.ccls. or "3d or three-dimension\$2 or three adj dimension\$2 or "422"/\$.ccls.) and (3-d or JPO; DERWENT; three adj dimension\$2 or "424"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "421"/\$.ccls. or "421"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "421"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "421"/\$.ccls. or "424"/\$.ccls. or "425"/\$.ccls. or "425"/\$.ccls. or "426"/\$.ccls. or "42	1	3	10/198.2.ccls. o	SPAT; EPO;	2006/10/10
### TDB	4 L	<b>I</b>	37/833.ccls.) and (3-d or	DERWENT;	16:17
three adj dimensiona\$2 or  3-dimension\$2) with mesh\$3  with structur\$2  ("702"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls. or 3d or three-dimension\$2 or three adj dimension\$2 or 3-dimension\$2) with mesh\$3  with structur\$2  ("702"/\$.ccls. or "422"/\$.ccls. or "422"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls. or three adj dimension\$2 or three adj dimension\$2 or 3-dimension\$2) with mesh\$3  with structur\$2			d or three-dimension\$2 or	TDB	-
# adimension\$2 with mesh\$3 with structur\$2 ("702"/\$.ccls.or" 422"/\$.ccls.or" 424"/\$.ccls.or" 3d or three adj dimension\$2	•		e adj dimensiona\$2 or		
with structur\$2  ("702"/\$.ccls. or  "424"/\$.ccls. or  "210"/\$.ccls. or  "137"/\$.ccls. or  3d or three-dimension\$2 or three adj dimension\$2 or  "422"/\$.ccls. or  "424"/\$.ccls. or  "424"/\$.ccls. or  "424"/\$.ccls. or  "424"/\$.ccls. or  "424"/\$.ccls. or  "437"/\$.ccls. or  "137"/\$.ccls.) and (3-d or US-PGPUB)  3d or three-dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or 3-dimension\$2 with mesh\$3 with structur\$2			mension\$2) with		
("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or three adj dimension\$2 or "422"/\$.ccls.) with mesh\$3 with structur\$2 ("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls. or three adj dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or with structur\$2 with structur\$2			with structur\$2		
"422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls.) and (3-d or US-PGPUB; "137"/\$.ccls.) and (3-d or US-PGPUB; "137"/\$.ccls.) and (3-d or US-PGPUB; "137"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3-dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or 3-dimension\$2 with mesh\$3 with structur\$2			02"/\$.ccls. o		
BRS 131 "137"/\$.ccls. or "US-PGPUB; "210"/\$.ccls.) and (3-d or USPAT; EPO; "137"/\$.ccls.) and (3-d or USPAT; EPO; "Hree adj dimension\$2 or 3-dimension\$2 or "IBM_TDB"  With structur\$2 ("702"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three adj dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or 3-dimension\$2 or 3-dimension\$2 or with mesh\$3 with structur\$2			2"/\$.ccls. or		
"210"/\$.ccls. or "137"/\$.ccls.) and (3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 ("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "137"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimension\$2 or 3-dimension\$2) with mesh\$3 with structur\$2			/\$.ccls.	יים מוומי	
BRS 131 "137"/\$.ccls.) and (3-d or 3d or three-dimension\$2 or three adj dimension\$2 or 3-dimension\$2 or 3-dimension\$2 or "BM_TDB ("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "37"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimension\$2 or 3-dimension\$2 or 3-dimension\$2 with mesh\$3 with structur\$2			0"/\$.ccls. or		0006/10/10.
three adj dimension\$2 or IBM_TDB  three adj dimensiona\$2 or (IBM_TDB)  with structur\$2  ("702"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "37"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB)  3d or three-dimension\$2 or three adj dimension\$2 or three adj dimension\$2 or with mesh\$3  with structur\$2	42	131	37"/\$.ccls.) and (3-d o	בן כן ני	76.10
three adj dimensiona\$2 or  3-dimension\$2) with mesh\$3  with structur\$2  ("702"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB)  3d or three-dimension\$2 or three adj dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3  with structur\$2			or three-dimension\$2	ל S	0
3-dimension\$2) with mesh\$3 with structur\$2 ("702"/\$.ccls.or "422"/\$.ccls.or "210"/\$.ccls.or "210"/\$.ccls.or "137"/\$.ccls.) and (3-d or US-PGPUB) 3d or three-dimension\$2 or three adj dimension\$2 or 3-dimension\$2) with mesh\$3 with structur\$2		•	e adj dimensiona\$2	1011 100	
with structur\$2  ("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2			dimension\$2) with mesh\$		
"422"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2			th structurs		
"422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2	-	<u> </u>	02,"/\$.ccls. o		
"424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2	-		2"/\$.ccls.		
"210"/\$.ccls. or "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2			"/\$.ccl		
BRS 71 "137"/\$.ccls.) and (3-d or US-PGPUB 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2			0"/\$.ccls.		3006/10/10
or three-dimension\$2 or ree adj dimensiona\$2 or dimension\$2) with mesh\$3 th structur\$2		71	137"/\$.ccls.) and (3-d or	- 1	7006/10/10
ree adj dimensiona dimension\$2) with th structur\$2		•	or three-dimension\$2		0
-dimension\$2) with ith structur\$2			ree adj dimensiona\$2 or		
ith structur\$			-dimension\$2) with		
			ith structur\$2		

	Туре	Hits	Search Text	DBs	Time Stamp
144	BRS	29	("702"/\$.ccls. or "422"/\$.ccls. or "424"/\$.ccls. or "210"/\$.ccls. or "137"/\$.ccls.) and (3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and reagent\$1 and substance\$1	US-PGPUB	2006/10/10
145	BRS	4	"4820490".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2006/10/10 16:57
146	BRS	4	porous with resin with layer\$1 and three-dimensional with mesh with structur\$2 and inner with surface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/11
147	BRS	31	(3-d or 3d or three-dimension\$2 or three adj dimensiona\$2 or 3-dimension\$2) with mesh\$3 with structur\$2 and substance\$1 and reagent\$1 and (quanti\$7 or amount\$1) with measur\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2006/10/11 09:37

<del></del>	
148 BRS	
	Туре
2	Hits
"20040121420"	Search Text
US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	DBs
2006/10/11 10:28	Time Stamp Comments
	Comments